



APRIL  
COLLECTION

**APE**  
*best for you*

apegrupo

APE Cerámica presents APRIL, a new rectified porcelain tile collection that unites rich variations in shade with a wood pattern. The end result is a ground-breaking bold design, conceived to draw all eyes.

The new collection by APE Cerámica comes in a 20x120 format, perfect for use on both walls and floors. Because these are rectified porcelain tiles, their superior quality is able to meet even the highest expectations.

APE Cerámica presenta su nueva colección APRIL, un porcelánico rectificado que nace para expresar en madera el maravilloso mundo de la destonificación cromática. El atrevido diseño del acabado es el gran valor diferencial de esta rompedora colección.

El nuevo producto creado por APE Cerámica se presenta en un formato 20x120, ideal tanto para pavimento como para revestimiento. La calidad de la pieza, al ser un porcelánico rectificado, cumple con las expectativas de los clientes más exigentes.

APE Cerámica présente sa nouvelle collection APRIL, un grès cérame rectifié qui transpose au bois céramique la variété chromatique du bois naturel. Le design audacieux de la finition est le point fort de cette collection novatrice.

Le nouveau produit créé par APE Cerámica se présente au format 20x120, idéal pour habiller les murs et les sols. La qualité de la pièce, en grès cérame rectifié, remplit les attentes des clients les plus exigeants.



APRIL NATURAL

APRIL BLUE




APRIL GRAPHITE

APRIL WHITE



# APRIL NATURAL



**APRIL NATURAL RECT**  
20X120 / 8"x48"

T36/M

*\*Variedad gráfica de 18 piezas mezcladas en la misma caja  
Graphic variety of 18 pieces mixed in the same box*



**CHEVRON APRIL NATURAL RECT**  
60X120 / 24"x48"

T36/M



**RODAPIE APRIL NATURAL**  
10X120 / 4"x48"

A02/P




**APE**  
best for you



# APRIL BLUE

P  V4 M



**APRIL BLUE RECT**  
20X120 / 8"x48"

T36/M

\*Variedad gráfica de 18 piezas mezcladas en la misma caja  
Graphic variety of 18 pieces mixed in the same box



**CHEVRON APRIL BLUE RECT**  
60X120 / 24"x48"

T36/M



**RODAPIE APRIL BLUE**  
10X120 / 4"x48"

A02/P




**APE**  
best for you



# APRIL GRAPHITE


P  V4 M



**APRIL GRAPHITE RECT**  
20X120 / 8"x48"

T36/M

\*Variedad gráfica de 18 piezas mezcladas en la misma caja  
Graphic variety of 18 pieces mixed in the same box



**CHEVRON APRIL GRAPHITE RECT**  
60X120 / 24"x48"

T36/M



**RODAPIE APRIL GRAPHITE**  
10X120 / 4"x48"

A02/P



**APE**  
best for you



# APRIL WHITE

P V4 M



**APRIL WHITE RECT**  
20X120 / 8"x48"

T36/M

\*Variedad gráfica de 18 piezas mezcladas en la misma caja  
Graphic variety of 18 pieces mixed in the same box



**CHEVRON APRIL WHITE RECT**  
60X120 / 24"x48"

T36/M



**RODAPIE APRIL WHITE**  
10X120 / 4"x48"

A02/P

## PACKING LIST APRIL COLLECTION

FORMATO / SIZE		PZS/CAJA TILES/BOX	M2/CAJA SQM/BOX	KG/CAJA KG/BOX	CAJAS/PALLET BOXES/PAELLET	M2/PALLET SQM/PALLET	KG/PALLET KG/PALLET
20x120	8"x48"	6	1,44	36.10	30	43,20	1.083
60x120	24"x48"	2	1,44	38.67	27	38,88	1.044

## TECHNICAL INFORMATION APRIL COLLECTION

NAME, TEST	EUROPEAN NORM	VALUE
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	35 - 45 N/mm2
Resistance to the abrasion, method PEI	EN ISO 10545-07	IV
Thermal shock resistance	EN ISO 10545-9	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test
Resistance to acids	EN ISO 10545-13	It stands the test
Resistance to alcalis	EN ISO 10545-13	It stands the test
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products to swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5
Slip resistance (Rd)	UNE- ENV 12633	Class 1
Dynamic Coefficient of Friction	ANSI 137.1	≥ 0.50 *
Scratch Hardness	MOHS	≥ 6

**APE**  
best for you

CIUDAD DEL TRANSPORTE C/LUXEMBURGO PARCELA 46  
12006 CASTELLÓN - SPAIN  
TEL. +34 964 340 434 FAX. +34 964 255 606  
www.apegrupo.com apeggrupo@apegrupo.com

**ape**grupo