

CERAMIC BOOK (2019) ·

VENIS

PORCELANOSA Grupo

EN

·

EN

(2019) ·

CERAMIC BOOK

F E E L
T H E
E V O L U T I O N

INDIC CUBIK

Monoporosa Rectificado

Rectified Wall Tiles



PERFIL / PERFIL

1.5x45 cm (x15.0 mm) 5/8"x17 3/4"
INDIC 100253566 - V7590611 - G92
INDIC GLOSS 100253592 - V7590607 - G92



INDIC

45x120 cm (x10.0 mm) 17 3/4"x47 1/4"
100244485 · V3080068 · G270
Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



INDIC GLOSS

45x120 cm (x10.0 mm) 17 3/4"x47 1/4"
100244502 · V3080073 · G270
Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



EMBALAJE PACKAGING Modelo Model	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Indic 45x120 cm	3	1.62	29.66	40	64.80	1187	One-flex Premium / Fr-one n
Perfil 1.5x45 cm	20	0.27	3.64	56	15.12	204	

(1)Valores aproximados. *Approximated values*

*Recomendación para soporte de mortero en interiores. **Interior installation over cement mortar substrate*

PAVIMENTO COMBINABLE

FLOOR TILE COMBINATIONS
INDIC & INDIC GLOSS 59.6x59.6 cm
INDIC & INDIC GLOSS 80x80 cm



INDIC CUBIK

Monoporosa Rectificado
Rectified Wall Tiles



RECTIFICADO
RECTIFIED



V3
DESTONIFICACIÓN
TONAL VARIATION

WALL TILES



MATE
MATT

CUBIK INDIC

45x120 cm (x12.0 mm) 17 3/4"x47 1/4"

100244471 - V3080077 - G274

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



BRILLO
GLOSS


CUBIK INDIC GLOSS

45x120 cm (x12.0 mm) 17 3/4"x47 1/4"

100244498 - V3080074 - G274

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



PAVIMENTO COMBINABLE
FLOOR TILE COMBINATIONS
INDIC & INDIC GLOSS 59.6x59.6 cm
INDIC & INDIC GLOSS 80x80 cm

EMBALAJE PACKAGING	CAJA BOX			PALET			ADHESIVO*
	Modelo Model	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)
Cubik 45x120 cm	3	1.62	32.19	36	58.32	1159	One-flex Premium / Fr-one n

(1)Valores aproximados. Approximated values
*Recomendación para soporte de mortero en interiores *Interior installation over cement mortar substrate



